

Dr Name: _____

Patient Name/ID: _____

Due Date: _____

Address: _____

City: _____ State: _____ Zipcode: _____

☐ **EXPRESS
DELIVERY**

Signature: _____

Scanner Brand: _____

Digital Scan ID: _____

Dr Licence #: _____

PLEASE TICK OPTIONS BELOW

MANDIBULAR ARCH

- ☐ Atlas with labial bow and lingual plate
- ☐ Atlas TMD with labial bow, lingual plate & occlusal pads
- ☐ 1mm ☐ 2mm ☐ 3mm ☐ 4mm

MAXILLARY ARCH

- ☐ Atlas with labial bow and palatal plate
- ☐ Atlas TMD with labial bow, palatal plate & occlusal pads
- ☐ 1mm ☐ 2mm ☐ 3mm ☐ 4mm

★ Indicates option default if none selected

Material

- ☐ Cobalt Chromium ★
- ☐ Titanium
- ☐ Titanium with Color - Yellow/Gold
- ☐ Titanium with Color - Light Blue
- ☐ Titanium with Color - Dark Blue
- ☐ Titanium with Color - Purple
- ☐ Titanium with Color - Pink

Material of Occlusal Pads

- ☐ PMMA
- ☐ PEEK

Color of Occlusal Pads

- ☐ Transparent ★ ☐ Blue
- ☐ Yellow ☐ Purple
- ☐ Red ☐ Green

Additional Instructions



Dr Name:

Patient Name/ID:

Due Date:

Address:

City: State: Zipcode:

EXPRESS DELIVERY

Signature:

Scanner Brand:

Digital Scan ID:

Dr Licence #:

PLEASE TICK OPTIONS BELOW

RESTORATION

Crown Bridge Inlay/Onlay Veneer Post & Core Maryland Bridge Cantilever Bridge

CROWN OPTIONS

ALL CERAMIC

Lithium Disilicate

- IPS e.max (layered)
- IPS e.max Press (monolithic)
- IPS e.max CAD
- IPS e.max Veneers

Wax Up

- Digital smile design

Embrasure

- Natural
- Closed
- Open

★ Indicates option default if none selected

Zirconia

- PFZ (layered)
- FMZ (monolithic)
- FMZ-T (translucent)
- Zirconia Veneers
- Enhanced Bonding

Interproximal Contact

- Normal
- Broad

Occlusal Contact

- Heavy
- Light
- Open

PFM

Alloy options

- Non-Precious
- Semi-Precious
- High-Precious (40% Gold)
- High-Precious (74% Gold)

Margin

- 180° Porcelain Buccal Margin
- 360° Porcelain Margin


Pontic Design

- Ovate
- Ridge Lap
- Hygienic

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17

Additional Instructions

SHADE INSTRUCTIONS



Basic Shade:

Stump Shade:



Dr Name: _____

Patient Name/ID: _____

Due Date: _____

Address: _____

City: _____ State: _____ Zipcode: _____

☐ **EXPRESS
DELIVERY**

Signature: _____

Scanner Brand: _____

Digital Scan ID: _____

Dr Licence #: _____

PLEASE TICK OPTIONS BELOW

HAWLEY TYPE


- ☐ Hawley
- ☐ Hawley Spring

ARCH

- ☐ Upper
- ☐ Lower
- ☐ Upper and Lower

**ADD COLOR
TO ACRYLIC**

- ☐ Transparent ★
- ☐ Blue
- ☐ Pink
- ☐ Red
- ☐ Green
- ☐ other



★ Indicates option default if none selected

Additional Instructions



Dr Name: _____

Patient Name/ID: _____

Due Date: _____

Address: _____

City: _____ State: _____ Zipcode: _____

☐ EXPRESS DELIVERY

Signature: _____

Scanner Brand: _____

Digital Scan ID: _____

Dr Licence #: _____

PLEASE TICK OPTIONS BELOW

ARCH

- ☐ Upper
- ☐ Lower
- ☐ Upper and Lower

TRIM

- ☐ Curved trim
- ☐ Straight trim

NUMBER OF SETS

- ☐ 1 x
- ☐ 2 x
- ☐ 3 x

BITE RAMPS (UPPER)

- ☐ None
- ☐ Yes

FIXED LINGUAL BAR IN PLACE

- ☐ Yes
- ☐ No

IF YES, COVER LINGUAL BAR


- ☐ Yes
- ☐ No, trim around

TOOTH MOVEMENT OPTIMISED

- ☐ Yes*
- ☐ No

TMD OCCLUSAL PADS

- ☐ None
- ☐ 2mm height
- ☐ 3mm height



ADD COLOR TO TMD OCCLUSAL PADS

- ☐ Transparent ★
- ☐ Blue
- ☐ Yellow
- ☐ Purple
- ☐ Pink
- ☐ Green

*TMO = Tooth Movement Optimised (tooth movement table to be uploaded with this order form)

★ Indicates option default if none selected

Additional Instructions



Dr Name:

Patient Name/ID:

Due Date:

Address:

City: State: Zipcode:

☐ EXPRESS DELIVERY

Signature:

Scanner Brand:

Digital Scan ID:

Dr Licence #:

PLEASE TICK OPTIONS BELOW

RESTORATION TYPE

- ☐ Implant crown
☐ Implant bridge

ABUTMENT

- ☐ Zirconia
☐ Titanium

CROWN RETENTION

- ☐ Screw retained
☐ Cement retained

COMPONENTS

- ☐ Generic components
☐ Branded components

RESTORATION MATERIAL
ALL CERAMIC

Lithium Disilicate

- ☐ IPS e.max (layered)
☐ IPS e.max Press (monolithic)
☐ IPS e.max CAD
☐ IPS e.max Veneers

Zirconia

- ☐ PFZ (layered)
☐ FMZ (monolithic)
☐ FMZ-T (translucent)
☐ Zirconia Veneers
☐ Enhanced Bonding

PFM

Alloy options

- ☐ Non-Precious
☐ Semi-Precious
☐ High-Precious (40% Gold)
☐ High-Precious (74% Gold)

Wax Up

- ☐ Digital smile design

Interproximal Contact

- ☐ Normal ★ ☐ Broad

Margin

- ☐ 180° Porcelain Buccal Margin
☐ 360° Porcelain Margin

Embrasure

- ☐ Natural ★
☐ Closed
☐ Open

Occlusal Contact

- ☐ Heavy
☐ Light ★
☐ Open

Pontic Design

- ☐ Ovate
☐ Ridge Lap ★
☐ Hygienic

★ Indicates option default if none selected

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17

Implant Brand: Diameter: Platform:

Additional Instructions

SHADE INSTRUCTIONS



Basic Shade: _____

Stump Shade: _____



eocalab.com

email your lab form to: contact@eocalab.com

EOCA Lab | 2820 Scherer Drive North, Suite 210 St. Petersburg, FL 33716 USA | Phone: +1 (727) 256 0537

Dr Name: _____

Patient Name/ID: _____

Due Date: _____

Address: _____

City: _____ State: _____ Zipcode: _____

☐ EXPRESS
DELIVERY

Signature: _____

Scanner Brand: _____

Digital Scan ID: _____

Dr Licence #: _____

PLEASE TICK OPTIONS BELOW

☐ UPPER ARCH☐ LOWER ARCH

Material

☐ Co-Cr ★☐ Titanium

Tooth Coverage

☐ Canine to Canine ★☐ Lateral to Lateral☐ Central to Central☐ Other _____

Color (if Titanium selected)

☐ None ★☐ Light Blue☐ Dark Blue☐ Purple☐ Yellow/Gold☐ Pink

Design

☐ Straight ★☐ Serpentine☐ Serpentine Perio

Tooth Movement Optimised (TMO)

☐ Yes, Tooth Movement Table with this form ★☐ No

★ Indicates option default if none selected

Additional Instructions



eocalab.com

email your lab form to: contact@eocalab.com

EOCA Lab | 2820 Scherer Drive North, Suite 210 St. Petersburg, FL 33716 USA | Phone: +1 (727) 256 0537

Dr Name: _____

Patient Name/ID: _____

Due Date: _____

Address: _____

City: _____ State: _____ Zipcode: _____

☐ **EXPRESS
DELIVERY**

Signature: _____

Scanner Brand: _____

Digital Scan ID: _____

Dr Licence #: _____

PLEASE TICK OPTIONS BELOW

ARCH

- ☐ Upper
- ☐ Lower

THICKNESS

- ☐ 1 mm
- ☐ 2 mm
- ☐ 3 mm

TYPE

- ☐ Soft Bite
- ☐ Hard Bite - Acrylic
- ☐ Hard Bite - Nylon
- ☐ Armadillo (Hard/Soft)
- ☐ Michigan Splint
- ☐ NTI Splint
- ☐ Gelb Appliance
- ☐ Atlas TMD
- ☐ Atlas TMD - Ti
- ☐ Atlas PEEK
- ☐ Atlas PEEK - Ti



Additional Instructions



Dr Name: _____

Patient Name/ID: _____

Due Date: _____

Address: _____

City: _____ State: _____ Zipcode: _____

☐ **EXPRESS DELIVERY**

Signature: _____

Scanner Brand: _____

Digital Scan ID: _____

Dr Licence #: _____

PLEASE TICK OPTIONS BELOW

FRAMEWORK

- ☐ P/- Framework
- ☐ -/P Framework
- ☐ P/- Framework & try in with teeth
- ☐ -/P Framework & try in with teeth
- ☐ P/- Framework and process
- ☐ -/P Framework and process
- ☐ Proceed to finish
- ☐ Cobalt Chromium Framework
- ☐ Titanium Framework

Acrylic denture

- ☐ P/- Acrylic (try in only)
- ☐ -/P Acrylic (try in only)
- ☐ P/- Acrylic (straight to finish)
- ☐ -/P Acrylic (straight to finish)
- ☐ F/- try in with teeth
- ☐ -/F try in with teeth
- ☐ F/- process
- ☐ -/F process
- ☐ Immediate Replacement
List teeth numbers _____
- ☐ Tooth Colored Clasps
List teeth numbers and shade _____
- ☐ Clear clasps
List teeth numbers and shade _____
- ☐ High Impact Acrylic

FLEXIBLE denture (DuraFlex)

- ☐ P/- Flexible (try in only)
- ☐ -/P Flexible (try in only)
- ☐ P/- Flexible (finish)
- ☐ -/P Flexible (finish)




MISCELLANEOUS

- ☐ Mouth Guard
- ☐ Bleaching Trays
- ☐ Diagnostic Wax Ups, teeth

SHADE INSTRUCTIONS

Basic Shade: _____

Stump Shade: _____



Additional Instructions

eocalab.com

email your lab form to: contact@eocalab.com

EOCA Lab | 2820 Scherer Drive North, Suite 210 St. Petersburg, FL 33716 USA | Phone: +1 (727) 256 0537